

## Subject Index: Volume 15

### Ablation procedures

- Low energy partial ablation of the atrioventricular node junction in the dog using a suction-ablation catheter, 222

### Abstracts

- Abstracts of papers to be presented at the 39th Annual Scientific Session of the American College of Cardiology, New Orleans, Louisiana, March 18-22, 1990, 1A

- Corrections to, 1200, 1458, 1700

### ACC news

- In memoriam: Raymond Harris, 1919-1989, 1456

- Newly elected members of the College, 913
- 1990-1991 Board of Governors, 1198

- 1990-1991 Committee appointments, 1695

- Past President's page: Benefiting through strategic alliances, 1196

- President's page: American College of Cardiology and our affiliate-in-training members, 910

- President's page: Cardiac catheterization laboratories: hospital-based, freestanding or mobile?, 748

- President's page: Clinical cardiovascular research: a role for the private practitioner, 248

- President's page: Inauguration address, 1193

- President's page: Recertification in cardiovascular medicine: what is the role of the American College of Cardiology?, 505

### ACP/ACC/AHA Task Force Statements

- Clinical privileges in cardiology: first three statements of the American College of Physicians / American College of Cardiology / American Heart Association Task Force. Clinical competence in hemodynamic monitoring. Clinical competence in adult echocardiography. Clinical competence in percutaneous transluminal coronary angioplasty, 1459

### Action potentials

- Barium-induced nondriven action potentials as a model of triggered potentials from early afterdepolarizations: significance of slow channel activity and differing effects of quinidine and amiodarone, 213

### Adenosine

- Sustained intraatrial reentrant tachycardia: clinical electrocardiographic and electrophysiologic characteristics and long-term follow-up, 1345

### Afterdepolarizations

- Barium-induced nondriven action potentials as a model of triggered potentials from early afterdepolarizations: significance of slow channel activity and differing effects of quinidine and amiodarone, 213

### Age factors

- Interactive effects of age and other risk factors on long-term survival after coronary artery surgery, 1493

### Ambulation

- Early ambulation after 5 French diagnostic

- cardiac catheterization: results of a multicenter trial, 1475

### Amiodarone

- Amiodarone in children: borrowing from the future? (editorial comment), 1125

- Atrial fibrillation in hypertrophic cardiomyopathy: a longitudinal study, 1279

- Barium-induced nondriven action potentials as a model of triggered potentials from early afterdepolarizations: significance of slow channel activity and differing effects of quinidine and amiodarone, 213

- Long-term follow-up of amiodarone therapy in the young: continued efficacy, unimpaired growth, moderate side effects, 1118

- Sustained intraatrial reentrant tachycardia: clinical, electrocardiographic and electrophysiologic characteristics and long-term follow-up, 1345

### Amyloidosis

- Comprehensive Doppler assessment of right ventricular diastolic function in cardiac amyloidosis, 99

### Anastomosis

- Molecular biologic concepts of coronary anastomosis (seminar), 513

### Aneurysms

- Discrete atherosclerotic coronary artery aneurysms: a study of 20 patients, 279

### Angina pectoris

- Effects of diltiazem and long-term beta<sub>1</sub>-adrenergic blockade on hemodynamics and blood flow during exercise in patients with stable angina pectoris, 184

- Exertional myocardial ischemia in diabetes: a quantitative analysis of anginal perceptual threshold and the influence of autonomic function, 72

- Increased neutrophil elastase release in unstable angina pectoris and acute myocardial infarction, 1559

- Myocardial infarction triage and intervention project—phase I: patient characteristics and feasibility of prehospital initiation of thrombolytic therapy, 925

- Platelet activation in unstable angina: role of thromboxane A<sub>2</sub> and other mediators of vasoconstriction (editorial comment), 727

### Angiography

- See also Arteriography

- Decision analysis in clinical cardiology: when is coronary angiography required in aortic stenosis? (seminar), 751

- Exercise echocardiography and quantitative angiography: improved identification of physiologically significant coronary artery stenoses (editorial comment), 1052

- 5 French catheter and the future of coronary angiography (editorial comment), 1484

### Angioplasty

- See also Restenosis

- ACP/ACC/AHA Task Force Statement.

- Clinical competence in percutaneous transluminal coronary angioplasty, 1469

- Augmented myocardial perfusion reserve after coronary angioplasty quantified by positron emission tomography with H<sub>2</sub><sup>15</sup>O, 119

- Balloon angioplasty of coarctation of the aorta evaluated with intravascular ultrasound imaging, 906

- Because we can, should we? (editorial comment), 544

- Cardiopulmonary support: the risk and benefits of assisted coronary angioplasty (editorial comment), 30

- Combined percutaneous coronary atherectomy and coronary angioplasty: experience in 19 consecutive patients, 1146

- Coronary angioplasty for total occlusion: ongoing problems despite improving results (editorial comment), 857

- Diastolic function in patients undergoing coronary angioplasty: influence of degree of revascularization, 1564

- Direct coronary angioplasty in acute myocardial infarction: outcome in patients with single vessel disease, 534

- Early results and follow-up of balloon angioplasty for branch pulmonary artery stenoses, 1109

- Exercise echocardiography after coronary angioplasty: expanding applications (editorial comment), 600

- Experimental ultrasonic angioplasty: distribution of atherosclerotic plaque and thrombi in vitro and recanalization in vivo, 711

- Improvement in rest and exercise-induced wall motion abnormalities after coronary angioplasty: an exercise echocardiographic study, 591

- Initial report of the National Registry of elective cardiopulmonary bypass supported coronary angioplasty, 23

- Myocardial salvage after failed coronary angioplasty, 78

- Procedural outcome of angioplasty for total coronary artery occlusion: an analysis of 971 lesions in 905 patients, 849

- Proliferative and lipid metabolism response to balloon angioplasty in canine renal arteries, 1394

- Reversal of chronic regional myocardial dysfunction (hibernating myocardium) by synchronized diastolic coronary versus retroperfusion during coronary angioplasty, 238

- Supported "high risk" coronary angioplasty using intraaortic balloon pump counterpulsation, 1151

- Very early prediction of restenosis after successful coronary angioplasty: anatomic and functional assessment, 259

### Antiarrhythmic drugs

- See also specific agent

- Therapy of refractory symptomatic atrial fibrillation and atrial flutter: a staged care approach with new antiarrhythmic drugs, 898
- Antibodies**  
New serologic marker of cardiac autoimmunity in dilated cardiomyopathy (editorial comment), 1535  
Novel organ-specific circulating cardiac autoantibodies in dilated cardiomyopathy, 1527
- Antihypertensive therapy**  
Cardiac determinants of left ventricular hypertrophy in essential hypertension with antihypertensive treatment, 665
- Antiplasmin**  
See Plasmin inhibitors
- Antiplatelet agents**  
See specific agent
- Aortic valve area**  
Fractional shortening-velocity ratio: validation of a new echocardiographic Doppler method for identifying patients with significant aortic stenosis, 1578
- Aortic valve disease**  
Aortic stenosis: the quest for a noninvasive gold standard (editorial comment), 1585  
Carotid artery approach for balloon dilation of aortic valve stenosis in the neonate: a preliminary report, 1633  
Catheter-based intravascular ultrasound discriminates bicuspid from tricuspid valves in adults with calcific aortic stenosis, 1310  
Decision analysis in clinical cardiology: when is coronary angiography required in aortic stenosis? (seminar), 751  
Doppler echocardiographic quantitation of cross-sectional area under various hemodynamic conditions: an experimental validation in a canine model of supra-aortic stenosis, 1654  
Fractional shortening-velocity ratio: validation of a new echocardiographic Doppler method for identifying patients with significant aortic stenosis, 1578  
On the natural history of severe aortic stenosis (editorial comment), 1018  
Quantification of aortic regurgitation with amplitude-weighted mean flow velocity from continuous wave Doppler spectra, 1305
- Arrhythmias**  
See also specific type of arrhythmia  
Evolving concepts regarding the role of tissue structure in arrhythmogenesis in the infarcted human heart (editorial comment), 1608  
Predictive value of electrophysiologic studies in untreated patients with Wolff-Parkinson-White syndrome, 640
- Arrhythmias, ventricular**  
Day to day reproducibility of electrically inducible ventricular arrhythmias in survivors of acute myocardial infarction, 1075  
Late potentials on the signal-averaged electrocardiogram after canine myocardial infarction: correlation with induced ventricular arrhythmias during the healing phase, 1365
- Low dose quinidine-mexiletine combination therapy versus quinidine monotherapy for treatment of ventricular arrhythmias, 1138  
Signal-averaged electrocardiogram and ventricular arrhythmias after thrombolysis for acute myocardial infarction, 1270  
Surgical approaches to treatment of ventricular arrhythmias (editorial comment), 274  
Surgical coronary revascularization in survivors of prehospital cardiac arrest: its effect on inducible ventricular arrhythmias and long-term survival, 267  
Thrombolytic therapy, infarct vessel patency and late potentials: can the arrhythmic substrate be altered? (editorial comment), 1277
- Arterial patency**  
Improved infarct-related arterial patency after high dose, weight-adjusted, rapid infusion of tissue-type plasminogen activator in myocardial infarction: results of a multicenter randomized trial of two dosage regimens, 915
- Arteriography**  
Arteriographic evaluation of small coronary arteries (seminar), 784  
Significance of coronary reserve in clinical heart disease (seminar), 775
- Aspirin**  
Implications of preoperative administration of aspirin in patients undergoing coronary artery bypass grafting, 15  
Does antiplatelet therapy enhance myocardial salvage after coronary reperfusion?, 1662  
Increased plasma beta-thromboglobulin in patients with coronary artery vein graft occlusion: response to low dose aspirin, 1250  
Risk of preoperative aspirin in patients undergoing coronary artery bypass surgery (editorial comment), 21
- Atherectomy**  
Combined percutaneous coronary atherectomy and coronary angioplasty: experience in 19 consecutive patients, 1146  
"Cutters, scoopers, shavers and scrapers": the importance of atherectomy devices and clinical relevance of tissue removed (editorial comment), 426  
Percutaneous peripheral atherectomy: angiographic and clinical follow-up in 60 patients, 682  
Percutaneous peripheral atherectomy: what are its indications? (editorial comment), 689  
Transluminal atherectomy for occlusive peripheral vascular disease, 1551
- Atherosclerosis**  
See also Coronary artery disease  
Death in atherosclerotic plaque coronary artery disease: lessons learned at necropsy (editorial comment), 204  
Discrete atherosclerotic coronary artery aneurysms: a study of 20 patients, 279  
Experimental ultrasonic angioplasty: disruption of atherosclerotic plaque and thrombi in vitro and arterial recanalization in vivo, 711  
In vivo ultrasound arterial recanalization of atherosclerotic total occlusions, 345
- Mode of death, frequency of healed and acute myocardial infarction, number of major epicardial coronary arteries severely narrowed by atherosclerotic plaque, and heart weight in fatal atherosclerotic coronary artery disease: analysis of 889 patients studied at necropsy, 196  
Regression of atherosclerosis in cholesterol-fed rabbits: effects of fish oil and verapamil, 231  
Responses of cultured smooth muscle cells from human nonatherosclerotic arteries and primary stenosing lesions after photoradiation: implications for vascular stenoses, 1545  
Syndromes of accelerated atherosclerosis: role of vascular injury and smooth muscle cell proliferation, 1667
- Athletes**  
Altered left ventricular volume and ejection fraction responses to supine dynamic exercise in athletes, 582  
Left ventricular dimensions and function in athletes: cardiac or cardiovascular adaptations, or both? (editorial comment), 589
- Atrial dimensions**  
Left atrial dimension and risk of systemic embolism in patients with a prosthetic heart valve, 32
- Atrial fibrillation**  
Atrial fibrillation in hypertrophic cardiomyopathy: a longitudinal study, 1279  
Hypertrophic cardiomyopathy and atrial fibrillation: a change of perspective (editorial comment), 1286  
Mode of onset of atrial fibrillation in the Wolff-Parkinson-White syndrome: how important is the accessory pathway?, 1082  
New hope in atrial fibrillation (editorial comment), 708  
Therapy of refractory symptomatic atrial fibrillation and atrial flutter: a staged care approach with new antiarrhythmic drugs, 698
- Atrial flutter**  
Characterization of double potentials in human atrial flutter: studies during transient entrainment, 833  
Therapy of refractory symptomatic atrial fibrillation and atrial flutter: a staged care approach with new antiarrhythmic drugs, 698
- Atrial natriuretic factor**  
Atrial natriuretic factor: a new diagnostic marker for right ventricular infarction (editorial comment), 554  
Atrial natriuretic factor: a ventricular hormone? (editorial comment), 1446  
Atrial natriuretic factor in patients with congenital heart disease: correlation with hemodynamic variables, 1438  
Atrial natriuretic factor in patients with right ventricular infarction, 546  
Atrial natriuretic polypeptide is removed by the lungs and released into the left atrium as well as the right atrium in humans, 1537  
Defining the role of atrial natriuretic factor in health and disease (editorial comment), 1331

- Pathophysiologic levels of atrial natriuretic factor do not alter reflex sympathetic control: direct evidence from microneurographic studies in humans, 1318
- Atrial septal defect**  
Atrial septal defect after percutaneous mitral valvuloplasty: immediate results and follow-up, 1300
- Interatrial septum in acute myocardial infarction (editorial comment), 806
- Inversion of the normal interatrial septum convexity in acute myocardial infarction: incidence, clinical relevance and prognostic significance, 801
- Subcostal two-dimensional echocardiographic identification of anomalous attachment of septum primum in patients with left atrioventricular valve underdevelopment, 678
- Atrial strength-duration curve**  
Effect of pacing rate on the human atrial strength-duration curve, 1618
- Atrial tachycardia**  
Sustained intraatrial reentrant tachycardia: clinical, electrocardiographic and electrophysiologic characteristics and long-term follow-up, 1345
- Atrioventricular node**  
Low energy partial ablation of the atrioventricular node junction in the dog using a suction-ablation catheter, 222
- Atropine**  
Evidence for a central site of action to explain the negative chronotropic effect of atropine: studies on the human transplanted heart, 1610
- Autonomic nervous system**  
Enhanced left ventricular contractility in autonomic failure: assessment using pressure-volume relations, 1334
- Barium**  
Barium-induced nondriven action potentials as a model of triggered potentials from early afterdepolarizations: significance of slow channel activity and differing effects of quinidine and amiodarone, 213
- Beta-adrenergic blocking agents**  
*See also specific agent*  
Effects of diltiazem and long-term beta<sub>1</sub>-adrenergic blockade on hemodynamics and blood flow during exercise in patients with stable angina pectoris, 184
- Beta-adrenergic stimulation**  
Decreased adrenergic sensitivity in patients with hypothyroidism, 94
- Beta-thromboglobulin**  
Increased plasma beta-thromboglobulin in patients with coronary artery vein graft occlusion: response to low dose aspirin, 1250
- Biopsy**  
"Borderline" myocarditis: an indication for repeat endomyocardial biopsy, 283  
Borderline myocarditis on initial endomyocardial biopsy: no-man's-land no more? (editorial comment), 290  
Safety and utility of endomyocardial biopsy in infants, children and adolescents (editorial comment), 443  
Safety and utility of endomyocardial biopsy in infants, children and adolescents: a review of 66 procedures in 53 patients, 436
- Bleeding**  
*See Hemorrhage*
- Books received**, 212, 354, 1624
- Bradycardia**  
Bradycardia and syncope as manifestations of partial epilepsy, 900
- Calcification**  
Contrasting histoarchitecture of calcified leaflets from stenotic bicuspid versus stenotic tricuspid aortic valves, 1104
- Calcium**  
Quantification of coronary artery calcium using ultrafast computed tomography, 827
- Calcium channel blockers**  
*See specific agent*
- Captopril**  
Long- versus short-acting angiotensin-converting enzyme inhibitors (letter), 250
- Carbamazepine**  
Bradycardia and syncope as manifestations of partial epilepsy, 900
- Carbon dioxide tension**  
Cardiac effects of carbon dioxide-consuming and carbon dioxide-generating buffers during cardiopulmonary resuscitation, 482
- Cardiac arrest**  
*See also Sudden death*  
Surgical coronary revascularization in survivors of prehospital cardiac arrest: its effect on inducible ventricular arrhythmias and long-term survival, 267
- Cardiac catheterization**  
Early ambulation after 5 French diagnostic cardiac catheterization: results of a multicenter trial, 1475  
Effect of pulsed progressive fluoroscopy on reduction of radiation dose in the cardiac catheterization laboratory, 159  
Feasibility and cost-saving potential of outpatient cardiac catheterization, 378
- Cardiac transplantation**  
Arterial hypertension after orthotopic cardiac transplantation (editorial comment), 1102  
Effect of systemic hypertension on renal function and left ventricular hypertrophy in heart transplant recipients, 1095  
Evidence for a central site of action to explain the negative chronotropic effect of atropine: studies on the human transplanted heart, 1610  
Valvular regurgitation in heart-lung transplantation recipients: a Doppler color flow study, 576
- Cardiomyopathy**  
*See also Hypertrophy*  
Apical hypertrophic cardiomyopathy: clinical follow-up and diagnostic correlates, 83  
Apical hypertrophic cardiomyopathy: the continuing saga (editorial comment), 91  
Atrial fibrillation in hypertrophic cardiomyopathy: a longitudinal study, 1279  
Clinical profile of congestive cardiomyopathy in children, 189  
Clinical significance of giant negative T waves in hypertrophic cardiomyopathy, 965  
Congestive cardiomyopathy in children (editorial comment), 194
- Does a clinically definable diabetic cardiomyopathy exist? (editorial comment), 1518
- Giant negative T wave revisited . . . in hypertrophic cardiomyopathy (editorial comment), 972
- Hypertrophic cardiomyopathy and atrial fibrillation: a change of perspective (editorial comment), 1286
- Impaired left ventricular relaxation in hypertrophic cardiomyopathy: relation to extent of hypertrophy (editorial comment), 814
- Left ventricular filling in dilated cardiomyopathy: relation to functional class and hemodynamics, 1288
- Molecular approaches to enteroviral diagnosis in idiopathic cardiomyopathy and myocarditis, 1688
- Myocardial mechanics in young adult patients with diabetes mellitus: effects of altered load, inotropic state and dynamic exercise, 1508
- New serologic marker of cardiac autoimmunity in dilated cardiomyopathy (editorial comment), 1535
- Novel organ-specific circulating cardiac autoantibodies in dilated cardiomyopathy, 1527
- Relation between extent of left ventricular hypertrophy and diastolic filling abnormalities in hypertrophic cardiomyopathy, 808
- Relation between extent of left ventricular hypertrophy and occurrence of sudden cardiac death in hypertrophic cardiomyopathy, 1521
- Relations between posterior wall kinetics during diastole and left ventricular filling, 1587
- Safety and utility of endomyocardial biopsy in infants, children and adolescents: a review of 66 procedures in 53 patients, 436
- Signal-averaged electrocardiography in hypertrophic cardiomyopathy, 956
- Syncope and sudden death in hypertrophic cardiomyopathy (editorial comment), 962
- Syncope in hypertrophic cardiomyopathy: a multivariate analysis of prognostic determinants, 948
- Cardiopulmonary resuscitation**  
Cardiac effects of carbon dioxide-consuming and carbon dioxide-generating buffers during cardiopulmonary resuscitation, 482
- Cardiopulmonary support**  
Cardiopulmonary support: the risk and benefits of assisted coronary angioplasty (editorial comment), 30  
Initial report of the National Registry of elective cardiopulmonary bypass supported coronary angioplasty, 23
- Catecholamines**  
Decreased adrenergic sensitivity in patients with hypothyroidism, 94
- Catheter**  
5 French catheter and the future of coronary angiography (editorial comment), 1484  
Low energy partial ablation of the atrioventricular node junction in the dog using a suction-ablation catheter, 222  
Use of a perforated balloon catheter to deliver

- concentrated heparin into the wall of the normal canine artery, 475
- Catheterization**  
See Cardiac catheterization
- China**  
Congenital cardiac anomalies in China (letter), 509
- Cholesterol**  
Cholesterol embolization: clinical findings and implications, 1296
- Chromosome aberrations**  
Echocardiographic evaluation in the spectrum of cardiac anomalies associated with trisomy 13 and trisomy 18, 673
- Coarctation of the aorta**  
Balloon angioplasty of coarctation of the aorta evaluated with intravascular ultrasound imaging, 906
- Collateral vessels**  
Molecular biologic concepts of coronary anastomoses (seminar), 513
- Congenital heart defects**  
See also Pediatric cardiology; specific defect  
Atrial natriuretic factor in patients with congenital heart disease: correlation with hemodynamic variables, 1438  
Congenital cardiac anomalies in China (letter), 509  
Exercise responses in patients with congenital heart disease after Fontan repair: patterns and determinants of performance, 1424  
Subcostal two-dimensional echocardiographic identification of anomalous attachment of septum primum in patients with left atrio-ventricular valve underdevelopment, 678
- Congestive heart failure**  
Afterload reduction with vasodilators and diuretics decreases mitral regurgitation during upright exercise in advanced heart failure, 174  
Effort intolerance in chronic heart failure: what are we treating? (editorial comment), 995  
Hemodynamic and metabolic basis of impaired exercise tolerance in patients with severe left ventricular dysfunction, 986  
Influence of positive inotropic therapy on pulsatile hydraulic load and ventricular-vascular coupling in congestive heart failure, 1127  
Is secondary mitral regurgitation in congestive heart failure a marker of clinical importance? (editorial comment), 181  
Long- versus short-acting angiotensin-converting enzyme inhibitors (letter), 250  
Maximal stress test: does it have any value in heart failure? (editorial comment), 62  
Pulmonary artery pressure changes during exercise and daily activities in chronic heart failure, 52
- Contractile function**  
Enhanced left ventricular contractility in autonomic failure: assessment using pressure-volume relations, 1334
- Converting enzyme inhibitors**  
See specific agent
- Coronary artery anatomy**  
Trans thoracic two-dimensional high frequency (7.5 MHz) ultrasonic visualization of the distal left anterior descending coronary artery, 373
- Coronary artery diameter**  
Coronary artery diameters in the heart with complete transposition of the great vessels, 1433
- Coronary artery disease**  
Anomalous coronary arteries (letter), 507  
Arteriographic evaluation of small coronary arteries (seminar), 784  
Because we can, should we? (editorial comment), 544  
Dipyridamole thallium scintigraphy and prognosis in coronary artery disease (editorial comment), 117  
Direct coronary angioplasty in acute myocardial infarction: outcome in patients with single vessel disease, 534  
Exercise thallium-201 single photon emission computed tomography for the diagnosis of coronary artery disease: what should we expect from SPECT?, 330  
Prognostic value of dipyridamole thallium scintigraphy for evaluation of ischemic heart disease, 109  
Quantitative exercise thallium-201 single photon emission computed tomography for the enhanced diagnosis of ischemic heart disease, 318  
Relation of quantitative lesion measurements to the development of exercise-induced ischemia assessed by exercise echocardiography, 1043  
Seminar on small coronary artery disease: structure and function of small coronary arteries in health and disease—I, 511  
Spectrum of diseases of small coronary arteries and their physiologic consequences (seminar), 763
- Coronary flow**  
Myocardial oxygen consumption during exercise in the presence of left ventricular hypertrophy secondary to supravalvular aortic stenosis, 1157  
Prediction of apical thrombus formation in acute myocardial infarction based on left ventricular spatial flow pattern, 355  
Quantification of aortic regurgitation with amplitude-weighted mean flow wave Doppler spectra, 1305
- Coronary flow reserve**  
Augmented myocardial perfusion reserve after coronary angioplasty quantified by positron emission tomography with  $H_2^{15}O$ , 119  
Coronary flow reserve as a physiologic measure of stenosis severity, 459  
Noninvasive quantification of regional blood flow in the human heart using N-13 ammonia and dynamic positron emission tomographic imaging, 1032  
Positron emission tomography and the quantitative assessment of regional myocardial blood flow (editorial comment), 128  
Relations among impaired coronary flow reserve, left ventricular hypertrophy and thallium perfusion defects in hypertensive patients without obstructive coronary artery disease, 43  
Significance of coronary reserve in clinical heart disease (seminar), 775
- Coronary insufficiency**  
Significance of coronary reserve in clinical heart disease (seminar), 775
- Coronary occlusion**  
Coronary angioplasty for total occlusion: ongoing problems despite improving results (editorial comment), 857  
Increased plasma beta-thromboglobulin in patients with coronary artery vein graft occlusion: response to low dose aspirin, 1250  
Occlusion after coronary revascularization (editorial comment), 1259  
Procedural outcome of angioplasty for total coronary artery occlusion: an analysis of 971 lesions in 905 patients, 849  
Proliferative and lipid metabolism response to balloon angioplasty in canine renal arteries, 1394
- Coronary perfusion**  
See also Ventilation-perfusion  
Echocardiographic analysis of regional left ventricular wall motion in children after the arterial switch operation for complete transposition of the great arteries, 1417  
Response of the coronary vasculature to myocardial hypertrophy (seminar), 528
- Coronary reperfusion**  
Distinguishing viable from infarcted myocardium after experimental ischemia and reperfusion by using nuclear magnetic resonance imaging, 1355  
Does antiplatelet therapy enhance myocardial salvage after coronary reperfusion?, 1662  
Reduction in reperfusion injury by blood-free reperfusion after experimental myocardial infarction, 1385
- Coronary retroperfusion**  
Reversal of chronic regional myocardial dysfunction (hibernating myocardium) by synchronized diastolic coronary venous retroperfusion during coronary angioplasty, 238
- Corrections**, 1200, 1458, 1700
- Cost factors**  
Decision analysis in clinical cardiology: when is coronary angiography required in aortic stenosis (seminar), 751  
Early ambulation after 5 French diagnostic cardiac catheterization: results of a multicenter trial, 1475  
Feasibility and cost-saving potential of outpatient cardiac catheterization, 378
- Counterpulsation**  
Supported "high risk" coronary angioplasty using intraaortic balloon pump counterpulsation, 1158
- Decision making**  
Clinical judgment and therapeutic decision making (seminar), 1  
Decision analysis in clinical cardiology: when is coronary angiography required in aortic stenosis? (seminar), 751
- Defibrillation**  
Hemodynamic sensors for implantable defibrillators (editorial comment), 656  
Right ventricular pressure during ventricular arrhythmias in humans: potential implications for implantable antitachycardia devices, 648
- Densitometry**  
Relative insensitivity of densitometric stenosis

- measurement to lumen edge determination, 1570
- Diabetes**  
Does a clinically definable diabetic cardiomyopathy exist? (editorial comment), 1518  
Exertional myocardial ischemia in diabetes: a quantitative analysis of anginal perceptual threshold and the influence of autonomic function, 72  
Myocardial mechanics in young adult patients with diabetes mellitus: effects of altered load, inotropic state and dynamic exercise, 1508
- Diastolic function**  
Comprehensive Doppler assessment of right ventricular diastolic function in cardiac amyloidosis, 99  
Diastolic function in patients undergoing coronary angioplasty: influence of degree of revascularization, 1564  
Effect of inotropic and vasodilator therapy on left ventricular diastolic filling in dogs with severe left ventricular dysfunction, 1165  
Relation between extent of left ventricular hypertrophy and diastolic filling abnormalities in hypertrophic cardiomyopathy, 808
- Digoxin**  
Acute myocardial uptake of digoxin in humans: correlation with hemodynamic and electrocardiographic effects, 1238  
Urgent parenteral digoxin therapy: a requiem (editorial comment), 1248
- Dihematoporphyrinester and ether**  
Responses of cultured smooth muscle cells from human nonatherosclerotic arteries and primary stenosing lesions after photo-radiation: implications for photodynamic therapy of vascular stenoses, 1545
- Diltiazem**  
Differential enhancement of postischemic segmental systolic thickening by diltiazem, 737  
Effects of diltiazem and long-term  $\beta_1$ -adrenergic blockade on hemodynamics and blood flow during exercise in patients with stable angina pectoris, 184  
Failure of nitroglycerin and diltiazem to reduce platelet-mediated vasoconstriction in dogs with coronary artery stenosis and endothelial injury: further evidence for thromboxane  $A_2$  and serotonin vasoconstriction in vivo, 718
- Dipyridamole**  
Dipyridamole thallium scintigraphy and prognosis in coronary artery disease (editorial comment), 117  
Implications of preoperative administration of aspirin in patients undergoing coronary artery bypass grafting, 15  
Noninvasive quantification of regional blood flow in the human heart using N-13 ammonia and dynamic positron emission tomographic imaging, 1032  
Prognostic value of dipyridamole thallium scintigraphy for evaluation of ischemic heart disease, 109
- Diuretics**  
Afterload reduction with vasodilators and diuretics decreases mitral regurgitation during upright exercise in advanced heart failure, 174
- DNA synthesis**  
Proliferative and lipid metabolism response to balloon angioplasty in canine renal arteries, 1394
- Dobutamine**  
Effect of inotropic and vasodilator therapy and left ventricular diastolic filling in dogs with severe left ventricular dysfunction, 1165  
Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography, 1021  
Improved cardiac performance secondary to dobutamine: the role of ventricular-vascular coupling (editorial comment), 1136  
Influence of positive inotropic therapy on pulsatile hydraulic load and ventricular-vascular coupling in congestive heart failure, 1127
- Doppler ultrasound**  
Accurate, nontraumatic ultrasonic method to monitor myocardial wall thickening in patients undergoing cardiac surgery, 1055  
Color Doppler echocardiography, Fred Astaire and the magic of Hollywood, (editorial comment), 1643  
Comparison of coronary hemodynamics in patients with internal mammary artery and saphenous vein coronary artery grafts: a noninvasive approach using combined two-dimensional and Doppler echocardiography, 131  
Comprehensive Doppler assessment of right ventricular diastolic function in cardiac amyloidosis, 99  
Determination of aortic valve area by two-dimensional and Doppler echocardiography in patients with normal and stenotic bioprosthetic valves, 817  
Doppler color flow mapping in the diagnosis of ventricular septal rupture and acute mitral regurgitation after myocardial infarction, 1449  
Doppler echocardiographic evaluation of stenotic bioprosthetic aortic valves (editorial comment), 825  
Doppler echocardiographic measurement of pulmonary artery pressure from ductal Doppler velocities in the newborn, 446  
Doppler echocardiographic quantitation of cross-sectional area under various hemodynamic conditions: an experimental validation in a canine model of supravalvular aortic stenosis, 1654  
Duplex Doppler evaluation of coronary artery and bypass graft flow: a practical clinical tool? (editorial comment), 140  
Fractional shortening-velocity ratio: validation of a new echocardiographic Doppler method for identifying patients with significant aortic stenosis, 1578  
Left ventricular outflow tract to left atrial communication secondary to rupture of mitral-aortic intravalvular fibrosa in infective endocarditis: diagnosis by transesophageal echocardiography and color flow imaging, 499  
Prospective detection by Doppler color flow imaging of additional defects in infants with a large ventricular septal defect, 1637  
Quantification of aortic regurgitation with amplitude-weighted mean flow velocity from continuous Doppler spectra, 1305  
Utility of transesophageal echocardiography and Doppler color flow imaging in patients undergoing cardiac valve surgery, 363
- Ductus arteriosus**  
Ductus arteriosus: a window for assessment of pulmonary artery pressures? (editorial comment), 457
- Echocardiography**  
See also Doppler ultrasound; Ultrasound  
ACP/ACC/AHA Task Force Statement. Clinical competence in adult echocardiography, 1465  
Diagnostic and prognostic role of cardiovascular ultrasound in endocarditis: bigger is not better (editorial comment), 1234  
Echocardiographic analysis of regional left ventricular wall motion in normal children and neonates, 1409  
Exercise echocardiography after coronary angioplasty: expanding applications (editorial comment), 600  
Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography, 1021  
Improvement in rest and exercise-induced wall motion abnormalities after coronary angioplasty: an exercise echocardiographic study, 591  
Infective endocarditis, 1983-1988: echocardiographic findings and factors influencing morbidity and mortality, 1227  
Inversion of the normal interatrial septum convexity in acute myocardial infarction: incidence, clinical relevance and prognostic significance, 801  
Reproducibility of quantitative contrast echocardiography, 602
- Ectasia**  
Discrete atherosclerotic coronary artery aneurysms: a study of 20 patients, 279
- Editorials, editorial comments, editorial reviews**  
Activation mapping in ventricular tachycardia: role of the epicardium, 117  
Acute myocardial infarction: does the lack of a Q wave help or hinder?, 1208  
Amiodarone in children: borrowing from the future?, 1125  
Aortic and pulmonary artery stenosis: improvement without intervention?, 1631  
Aortic stenosis: the quest for a noninvasive gold standard, 1585  
Apical hypertrophic cardiomyopathy: the continuing saga, 91  
Arterial hypertension after orthotopic cardiac transplantation, 1102  
At home thrombolysis, 937  
Atrial natriuretic factor: a new diagnostic marker for right ventricular infarction?, 554

- Atrial natriuretic factor: a ventricular hormone?, 1446
- Because we can, should we?, 544
- Borderline myocarditis on initial endomyocardial biopsy: no-man's land no more?, 290
- Cardiopulmonary support: the risk and benefits of assisted coronary angioplasty, 30
- Color Doppler echocardiography, Fred Astaire and the magic of Hollywood, 1643
- Congestive cardiomyopathy in children, 194
- Coronary angioplasty for total occlusion: ongoing problems despite improving results, 857
- "Cutters, scoopers, shavers and scrapers": the importance of atherectomy devices and clinical relevance of tissue removed, 426
- Death in atherosclerotic plaque coronary artery disease: lessons learned at necropsy, 204
- Defining the role of atrial natriuretic factor in health and disease, 1331
- Diagnostic and prognostic role of cardiovascular ultrasound in endocarditis: bigger is not better, 1234
- Dipyridamole thallium scintigraphy and prognosis in coronary artery disease, 117
- Does a clinically definable diabetic cardiomyopathy exist?, 1518
- Doppler echocardiographic evaluation of stenotic bioprosthetic aortic valves, 825
- Ductus arteriosus: a window for assessment of pulmonary artery pressures?, 457
- Duplex Doppler evaluation of coronary artery and bypass graft flow: a practical clinical tool?, 140
- Effort intolerance in chronic heart failure: what are we treating?, 995
- Events surrounding the removal of encainide and flecainide from the Cardiac Arrhythmia Suppression Trial (CAST) and why CAST is continuing with moricizine, 243
- Evolving concepts regarding the role of tissue structure in arrhythmogenesis in the infarcted human heart, 1608
- Exercise echocardiography after coronary angioplasty: expanding applications, 600
- Exercise echocardiography and quantitative angiography: improved identification of physiologically significant coronary artery stenoses, 1052
- Exercise thallium-201 single photon emission computed tomography for the diagnosis of coronary artery disease: what should we expect from SPECT?, 330
- Extreme exertion and right ventricular function, 70
- 5 French catheter and the future of coronary angiography, 1484
- Further reconciliation between pathoanatomy and pathophysiology of stenotic cardiac valves, 1181
- Giant negative T wave revisited . . . hypertrophic cardiomyopathy, 972
- Heart in orthostatic hypotension, 1343
- Hemodynamic sensors for implantable defibrillators, 656
- Hypertrophic cardiomyopathy and atrial fibrillation: a change of perspective, 1286
- Impaired left ventricular relaxation in hypertrophic cardiomyopathy: relation to extent of hypertrophy, 814
- Improved cardiac performance secondary to dobutamine: the role of ventricular-vascular coupling, 1136
- Interatrial septum in acute myocardial infarction, 806
- Interventional ultrasound: incongruity in terms or a reality?, 352
- Is secondary mitral regurgitation in congestive heart failure a marker of clinical importance?, 181
- Late reversibility: a viability issue, 341
- Left ventricular dimensions and function in athletes: cardiac or cardiovascular adaptations, or both, 589
- Maximal stress test: does it have any value in heart failure?, 62
- New hope in atrial fibrillation, 708
- New serologic marker of cardiac autoimmunity in dilated cardiomyopathy, 1535
- Nuclear magnetic resonance (NMR) imaging in ischemic heart disease, 150
- Occlusion after coronary revascularization, 1259
- On the natural history of severe aortic stenosis, 1018
- Percutaneous peripheral atherectomy: what are its indications?, 689
- Perioperative evaluation of myocardial function, 1066
- Platelet activation in unstable angina: role of thromboxane A<sub>2</sub> and other mediators of vasoconstriction, 727
- Positron emission tomography and the quantitative assessment of regional myocardial blood flow, 128
- Predicting outcome in cardiac rehabilitation, 983
- Predictors of left ventricular thrombus formation: flow, asynergy and morphology, 361
- Preservation of left ventricular function in patients with mitral regurgitation: a realistic goal for the nineties, 564
- Restenosis after coronary angioplasty: new standards for clinical studies, 491
- Risk of preoperative aspirin in patients undergoing coronary artery bypass surgery, 21
- Role of peer review of pacemaker implantations, 1093
- Safety and utility of endomyocardial biopsy in infants, children and adolescents, 443
- Silent myocardial ischemia: its impact on prognosis, 1004
- Statistical treatment of valve surgery outcomes: an influence on the evaluation of devices as well as practice, 574
- Surgical approaches to treatment of ventricular arrhythmias, 274
- Syncope and sudden death in hypertrophic cardiomyopathy, 962
- Technetium-99m isonitrite tomography in patients with acute myocardial infarction: measurement of myocardial salvage by thrombolysis, 315
- Thrombolysis in Myocardial Infarction (TIMI) Trial phase II: additional information, 1188
- Thrombolytic therapy, infarct vessel patency and late potentials: can the arrhythmic substrate be altered?, 1277
- Ultrathrombolysis, 922
- Urgent parenteral digoxin therapy: a requiem, 1248
- Very early prediction of restenosis after successful coronary angioplasty: how early is early and can we identify it?, 265
- Ejection fraction**
- Altered left ventricular volume and ejection fraction responses to supine dynamic exercise in athletes, 582
- Myocardial mechanics in young adult patients with diabetes mellitus: effects of altered load, inotropic state and dynamic exercise, 1508
- Elastase**
- Increased neutrophil elastase release in unstable angina pectoris and acute myocardial infarction, 1559
- Electrocardiography**
- See also specific wave; specific segment
- Diagnostic value of electrocardiographic variables to predict the presence of ventricular late potentials, 152
- Late potentials on the signal-averaged electrocardiogram after canine myocardial infarction: correlation with induced ventricular arrhythmias during the healing phase, 1365
- Signal-averaged electrocardiogram and ventricular arrhythmias after thrombolysis for acute myocardial infarction, 1270
- Signal-averaged electrocardiography in hypertrophic cardiomyopathy, 956
- Thrombolytic therapy, infarct vessel patency and late potentials: can the arrhythmic substrate be altered? (editorial comment), 1277
- Electrophysiologic studies**
- See also Electrocardiography
- Atrioventricular block in the atypical form of junctional reciprocating tachycardia: evidence supporting the atrioventricular node as the site of reentry, 385
- Characteristics of double potentials in human atrial flutter: studies during transient entrainment, 833
- Day to day reproducibility of electrically inducible ventricular arrhythmias in survivors of acute myocardial infarction, 1075
- Facioscapulohumeral muscular dystrophy: evidence for selective, genetic electrophysiologic cardiac involvement, 292
- Mode of onset of atrial fibrillation in the Wolff-Parkinson-White syndrome: how important is the accessory pathway?, 1082
- Predictive value of electrophysiologic studies in untreated patients with Wolff-Parkinson-White syndrome, 640
- Sustained intraatrial reentrant tachycardia: clinical electrocardiographic and electrophysiologic characteristics and long-term follow-up, 1345
- Time dependence of ventricular refractory periods: implications for electrophysiologic protocols, 402
- Ventricular tachycardia in the infarcted, Langendorff-perfused human heart: role of



- the arrangement of surviving cardiac fibers, 1594
- Emboli, embolization**  
Cholesterol embolization: clinical findings and implications, 1296  
Left atrial dimension and risk of systemic embolism in patients with a prosthetic heart valve, 32
- Encainide**  
Events surrounding the removal of encainide and flecainide from the Cardiac Arrhythmia Suppression Trial (CAST) and why CAST is continuing with moricizine (editorial), 243
- Endocarditis**  
Diagnostic and prognostic role of cardiovascular ultrasound in endocarditis: bigger is not better (editorial comment), 1234  
Infective endocarditis, 1983-1988: echocardiographic findings and factors influencing morbidity and mortality, 1227  
Left ventricular outflow tract to left atrial communication secondary to rupture of mitral-aortic intravalvular fibrosa in infective endocarditis: diagnosis by transesophageal echocardiography and color flow imaging, 499
- Endothelial function**  
Endothelial control of vascular tone in large and small coronary arteries (seminar), 519
- Enterovirus**  
Molecular approaches to enteroviral diagnosis in idiopathic cardiomyopathy and myocarditis, 1688
- Epilepsy**  
Bradycardia and syncope as manifestations of partial epilepsy, 900
- Exercise testing**  
*See also* Exercise training  
Afterload reduction with vasodilators and diuretics decreases mitral regurgitation during upright exercise in advanced heart failure, 174  
Different effects of prolonged exercise on the right and left ventricles, 64  
Effects of diltiazem and long-term beta<sub>1</sub>-adrenergic blockade on hemodynamics and blood flow during exercise in patients with stable angina pectoris, 184  
Effort intolerance in chronic heart failure: what are we treating? (editorial comment), 995  
Exercise echocardiography and quantitative angiography: improved identification of physiologically significant coronary artery stenoses (editorial comment), 1052  
Exercise responses in patients with congenital heart disease after Fontan repair: patterns and determinants of performance, 1424  
Exercise thallium-201 single photon emission computed tomography for the diagnosis of coronary artery disease: what should we expect from SPECT? (editorial comment), 330  
Extreme exertion and right ventricular function (editorial comment), 70  
Frequency of late reversibility in SPECT thallium-201 stress-redistribution studies, 334  
Hemodynamic and metabolic basis of impaired exercise tolerance in patients with severe left ventricular dysfunction, 986  
Late reversibility: a viability issue (editorial comment), 341  
Long-term follow-up of patients with silent ischemia during exercise radionuclide angiography, 999  
Maximal stress test: does it have any value in heart failure? (editorial comment), 62  
Myocardial oxygen consumption during exercise in the presence of left ventricular hypertrophy secondary to supraaortic stenosis, 1157  
Pulmonary artery pressure changes during exercise and daily activities in chronic heart failure, 52  
Quantitative exercise thallium-201 single photon emission computed tomography for the enhanced diagnosis of ischemic heart disease, 318  
Relation of quantitative coronary lesion measurements to the development of exercise-induced ischemia assessed by exercise echocardiography, 1043  
Very early prediction of restenosis after successful coronary angioplasty: anatomic and functional assessment, 259
- Exercise training**  
*See also* Athletes; Exercise testing  
Predicting outcome in cardiac rehabilitation (editorial comment), 983  
Success and failure of exercise training after myocardial infarction: is the outcome predictable, 974
- Fiber shortening rate**  
Preload dependence on fiber shortening rate in conscious dogs with left ventricular hypertrophy, 890
- Fibrillation**  
*See* Atrial fibrillation; Ventricular fibrillation
- Fibrinolytic therapy**  
*See also* Thrombolytic therapy; specific agent  
Natural history of left ventricular thrombi: their appearance and resolution in the posthospitalization period of acute myocardial infarction, 790
- Fibrinopeptide**  
Increased neutrophil elastase release in unstable angina pectoris and acute myocardial infarction, 1559
- Fish oil**  
Regression of atherosclerosis in cholesterol-fed rabbits: effects of fish oil and verapamil, 231
- Flecainide**  
Events surrounding the removal of encainide and flecainide from the Cardiac Arrhythmia Suppression Trial (CAST) and why CAST is continuing with moricizine (editorial), 243
- Fluoroscopy**  
Effect of pulsed progressive fluoroscopy on reduction of radiation dose in the cardiac catheterization laboratory, 159
- Fluorol**  
Reduction in reperfusion injury by blood-free reperfusion after experimental myocardial infarction, 1385
- Framingham Study**  
Contribution of the Framingham Study to preventive cardiology (lecture), 206
- Gorlin formula**  
Generalized formulation of the Gorlin formula for calculating the area of the stenotic mitral valve and other stenotic cardiac valves, 246
- Grafts**  
Comparison of coronary hemodynamics in patients with internal mammary artery and saphenous vein coronary artery bypass grafts: a noninvasive approach using combined two-dimensional and Doppler echocardiography, 131  
Duplex Doppler evaluation of coronary artery and bypass graft flow: a practical clinical tool? (editorial comment), 140  
Increased plasma beta-thromboglobulin in patients with coronary artery vein graft occlusion: response to low dose aspirin, 1250  
Occlusion after coronary revascularization (editorial comment), 1259
- Growth factors**  
Molecular biologic concepts of coronary anastomoses (seminar), 513
- Heart block**  
Atrioventricular block in the atypical form of junctional reciprocating tachycardia: evidence supporting the atrioventricular node as the site of reentry, 385
- Heart failure**  
*See* Congestive heart failure
- Hemodynamics**  
ACP/ACC/AHA Task Force Statement. Clinical competence in hemodynamic monitoring, 1460  
Clinical assessment of ventricular ejection dynamics with and without outflow obstruction, 859  
Comparison of coronary hemodynamics in patients with internal mammary artery and saphenous vein coronary artery bypass grafts: a noninvasive approach using combined two-dimensional and Doppler echocardiography, 131  
Doppler echocardiographic quantitation of cross-sectional area under various hemodynamic conditions: an experimental validation in a canine model of supraaortic stenosis, 1654  
Duplex Doppler evaluation of coronary artery and bypass graft flow: a practical clinical tool? (editorial comment), 140  
Effects of diltiazem and long-term beta<sub>1</sub>-adrenergic blockade on hemodynamics and blood flow during exercise in patients with stable angina pectoris, 184  
Improved cardiac performance secondary to dobutamine: the role of ventricular-vascular coupling (editorial comment), 1136  
Influence of alterations in loading produced by lower body negative pressure on aortic blood flow acceleration, 1069  
Influence of orifice geometry and flow rate on effective valve area: an in vitro study, 1173  
Influence of positive inotropic therapy on pulsatile hydraulic load and ventricular-vascular coupling in congestive heart failure, 1127
- Hemorrhage**  
Implications of preoperative administration of

- aspirin in patients undergoing coronary artery bypass grafting, 15
- Risk of preoperative aspirin in patients undergoing coronary artery bypass surgery (editorial comment), 21
- Heparin**
  - Use of a perforated balloon catheter to deliver concentrated heparin into the wall of the normal canine artery, 475
- His bundle infarction**
  - Sudden death due to isolated acute infarction of the His bundle, 1183
- Hypertension**
  - Arterial hypertension after orthotopic cardiac transplantation (editorial comment), 1102
  - Cardiac determinants of regression of left ventricular hypertrophy in essential hypertension with antihypertensive treatment, 665
  - Doppler echocardiographic measurement of pulmonary artery pressure from ductal Doppler velocities in the newborn, 446
  - Effect of systemic hypertension on renal function and left ventricular hypertrophy in heart transplant recipients, 1095
  - Relations among impaired coronary flow reserve, left ventricular hypertrophy and thallium perfusion defects in hypertensive patients without obstructive coronary artery disease, 43
- Hypertrophy**
  - See also* Cardiomyopathy
  - Cardiac determinants of regression of left ventricular hypertrophy in essential hypertension with antihypertensive treatment, 665
  - Effect of systemic hypertension on renal function and left ventricular hypertrophy in heart transplant recipients, 1095
  - Myocardial oxygen consumption during exercise in the presence of left ventricular hypertrophy secondary to supraaortic stenosis, 1157
  - Preload dependence of fiber shortening rate in conscious dogs with left ventricular hypertrophy, 890
  - Relations among impaired coronary flow reserve, left ventricular hypertrophy and thallium perfusion defects in hypertensive patients without obstructive coronary artery disease, 43
  - Response of the coronary vasculature to myocardial hypertrophy (seminar), 528
- Hypotension**
  - Enhanced left ventricular contractility in autonomic failure: assessment using pressure-volume relations, 1334
  - Heart in orthostatic hypotension (editorial comment), 1343
- Hypothyroidism**
  - Decreased adrenergic sensitivity in patients with hypothyroidism, 94
- Infection**
  - See* Endocarditis; specific type of infection
- Intensive care unit**
  - See* Mobile intensive care unit
- Interventricular communication**
  - Echocardiographic spectrum of double inlet ventricle: evaluation of the interventricular communication, 1401
- Ischemia**
  - See also* Myocardial ischemia
  - Differential enhancement of postischemic segmental systolic thickening by diltiazem, 737
  - Myocardial oxygen consumption during exercise in the presence of left ventricular hypertrophy secondary to supraaortic stenosis, 1157
- Isolation procedures**
  - See* Ventricular isolation
- Isonitrile**
  - See* Technetium-99m
- Isoproterenol**
  - Decreased adrenergic sensitivity in patients with hypothyroidism, 94
- Lasers**
  - Termination of ventricular tachycardia with epicardial laser photocoagulation: a clinical comparison with patients undergoing successful endocardial photocoagulation alone, 163
- Late potentials**
  - Diagnostic value of electrocardiographic variables to predict the presence of ventricular late potentials, 152
- Lectures**
  - Contribution of the Framingham Study to preventive cardiology, 206
- Letters to the editor**
  - Anomalous coronary arteries, 507
  - Congenital cardiac anomalies in China, 509
  - Long- versus short-acting angiotensin-converting enzyme inhibitors, 250
  - Postinfarction risk stratification, 251
  - Restrictive ventricular physiology as demonstrated by Doppler echocardiography, 508
  - Tocainide: interstitial pneumonitis, 1458
- Lipids**
  - Proliferative and lipid metabolism response to balloon angioplasty in canine renal arteries, 1394
- Lisinopril**
  - Long- versus short-acting angiotensin-converting enzyme inhibitors (letter), 250
- Loading conditions**
  - Afterload reduction with vasodilators and diuretics decreases mitral regurgitation during upright exercise in advanced heart failure, 174
  - Influence of alterations in loading produced by lower body negative pressure on aortic blood flow acceleration, 1069
  - Influence of positive inotropic therapy on pulsatile hydraulic load and ventricular-vascular coupling in congestive heart failure, 1127
  - Preload dependence of fiber shortening rate in conscious dogs with left ventricular hypertrophy, 890
- Lumen edge determination**
  - Relative insensitivity of densitometric stenosis measurement to lumen edge determination, 1570
- Magnetic resonance imaging**
  - See* Nuclear magnetic resonance imaging
- Mapping procedures**
  - Activation mapping in ventricular tachycardia: role of the epicardium (editorial comment), 171
- Mexiletine**
  - Low dose quinidine-mexiletine combination therapy versus quinidine monotherapy for treatment of ventricular arrhythmias, 1138
- Mitral valve disease**
  - Afterload reduction with vasodilators and diuretics decreases mitral regurgitation during upright exercise in advanced heart failure, 174
  - Different effects of prolonged exercise on the right and left ventricles, 64
  - Doppler color flow mapping in the diagnosis of ventricular septal rupture and acute mitral regurgitation after myocardial infarction, 1449
  - Is secondary mitral regurgitation in congestive heart failure a marker of clinical importance? (editorial comment), 181
  - M-Heart Percutaneous Balloon Mitral Valvuloplasty Registry: initial results and early follow-up, 1221
  - Preservation of left ventricular function in patients with mitral regurgitation: a realistic goal for the nineties (editorial comment), 564
- Mobile intensive care unit**
  - At home thrombolysis (editorial comment), 937
  - Should thrombolytic therapy be administered in the mobile intensive care unit in patients with evolving myocardial infarction? A pilot study, 932
- Moricizine**
  - Events surrounding the removal of encainide and flecainide from the Cardiac Arrhythmia Suppression Trial (CAST) and why CAST is continuing with moricizine (editorial), 243
- Morphologic studies**
  - Contrasting histoarchitecture of calcified leaflets from stenotic bicuspid versus stenotic tricuspid aortic valves, 1104
  - Death in atherosclerotic plaque coronary artery disease: lessons learned at necropsy (editorial comment), 204
  - Mode of death, frequency of healed and acute myocardial infarction, number of major epicardial coronary arteries severely narrowed by atherosclerotic plaque, and heart weight in fatal atherosclerotic coronary artery disease: analysis of 889 patients at necropsy, 196
  - Primary peripheral arterial stenoses and restenoses excised by transluminal atherectomy: a histopathologic study, 419
- Mortality rates**
  - Differential risk patterns associated with 3 month as compared to 12 month mortality and reinfarction after non-Q wave myocardial infarction, 940
- Muscular dystrophy**
  - Facioscapulohumeral muscular dystrophy: evidence for selective, genetic electrophysiologic cardiac involvement, 292
- Myocardial function**
  - Perioperative evaluation of myocardial function (editorial comment), 1066
- Myocardial infarction**
  - See also* Ventricular infarction
  - Acute myocardial infarction: does the lack of



- a Q wave help or hinder? (editorial comment), 1208
- Because we can, should we? (editorial comment), 544
- Day to day reproducibility of electrically inducible ventricular arrhythmias in survivors of acute myocardial infarction, 1075
- Differential risk patterns associated with 3 month as compared to 12 month mortality and reinfarction after non-Q wave myocardial infarction, 940
- Direct coronary angioplasty in acute myocardial infarction: outcome in patients with single vessel disease, 534
- Distinguishing viable from infarcted myocardium after experimental ischemia and reperfusion by using nuclear magnetic resonance imaging, 1355
- Evolving concepts regarding the role of tissue structure in arrhythmogenesis in the infarcted human heart (editorial comment), 1608
- Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography, 1021
- Improved infarct-related arterial patency after high dose, weight-adjusted rapid infusion of tissue-type plasminogen activator in myocardial infarction: results of a multicenter randomized trial of two dosage regimens, 915
- Increased neutrophil elastase release in unstable angina pectoris and acute myocardial infarction, 1559
- Interatrial septum in acute myocardial infarction (editorial comment), 806
- Inversion of the normal interatrial septum convexity in acute myocardial infarction: incidence, clinical relevance and prognostic significance, 801
- Late potentials on the signal-averaged electrocardiogram after canine myocardial infarction: correlation with induced ventricular arrhythmias during the healing phase, 1365
- Myocardial infarction triage and intervention project—phase I: patient characteristics and feasibility of prehospital initiation of thrombolytic therapy, 925
- Natural history of left ventricular thrombi: their appearance and resolution in the posthospitalization period of acute myocardial infarction, 790
- Nuclear magnetic resonance (NMR) imaging in ischemic heart disease (editorial comment), 150
- Postinfarction risk stratification (letter), 251
- Predicting outcome in cardiac rehabilitation (editorial comment), 983
- Prediction of apical thrombus formation in acute myocardial infarction based on left ventricular spatial flow pattern, 355
- Predictors of left ventricular thrombus formation: flow, asymmetry and morphology (editorial comment), 361
- Prognostic significance of first myocardial infarction type (Q wave versus non-Q wave) and Q wave location, 1201
- Prognostic significance of nonfatal myocardial infarction, 253
- Quantitation of acute myocardial infarct size by nuclear magnetic resonance imaging, 143
- Reduction in reperfusion injury by blood-free reperfusion after experimental myocardial infarction, 1385
- Should thrombolytic therapy be administered in the mobile intensive care unit in patients with evolving myocardial infarction? A pilot study, 932
- Single photon emission computed tomography with technetium-99m hexakis 2-methoxyisobutyl isonitrile in acute myocardial infarction before and after thrombolytic treatment: assessment of salvaged myocardium and prediction of late functional recovery, 301
- Success and failure of exercise training after myocardial infarction: is the outcome predictable? 974
- Sudden death due to isolated acute infarction of the His bundle, 1183
- Technetium-99m isonitrile tomography in patients with acute myocardial infarction: measurement of myocardial salvage by thrombolysis (editorial comment), 315
- Thromboxane receptor antagonist SQ 30,741 reduces myocardial infarct size in monkeys when given during reperfusion at a threshold dose for improving reflow during thrombolysis, 883
- Ventricular tachycardia in the infarcted, Langendorff-perfused human heart: role of the arrangement of surviving cardiac fibers, 1594
- Myocardial Ischemia**
- Distinguishing viable from infarcted myocardium after experimental ischemia and reperfusion by using nuclear magnetic resonance imaging, 1355
- Natural history of adults with asymptomatic, hemodynamically significant aortic stenosis, 1007
- Myocardial salvage**
- Does antiplatelet therapy enhance myocardial salvage after coronary reperfusion?, 1662
- Myocardial viability**
- Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography, 1021
- Myocardial wall thickening**
- Accurate, nontraumatic ultrasonic method to monitor myocardial wall thickening in patients undergoing cardiac surgery, 1055
- Myocarditis**
- "Borderline" myocarditis: an indication for repeat endomyocardial biopsy, 283
- Borderline myocarditis on initial endomyocardial biopsy: no-man's land no more? (editorial comment), 290
- Molecular approaches to enteroviral diagnosis in idiopathic cardiomyopathy and myocarditis, 1688
- Myocardium, hibernating**
- Reversal of chronic regional myocardial dysfunction (hibernating myocardium) by synchronized diastolic coronary venous retroperfusion during coronary angioplasty, 238
- N-13 ammonia**
- Noninvasive quantification of regional blood flow in the human heart using N-13 ammonia and dynamic positron emission tomographic imaging, 1032
- Neutrophils**
- Increased neutrophil elastase release in unstable angina pectoris and acute myocardial infarction, 1559
- Nitroprusside**
- Failure of nitroglycerin and diltiazem to reduce platelet-mediated vasoconstriction in dogs with coronary artery stenosis and endothelial injury: further evidence for thromboxane A<sub>2</sub> and serotonin as mediators of coronary artery vasoconstriction in vivo, 718
- Effect of inotropic and vasodilator therapy on left ventricular diastolic filling in dogs with severe left ventricular dysfunction, 1165
- Nuclear magnetic resonance imaging**
- Distinguishing viable from infarcted myocardium after experimental ischemia and reperfusion by using nuclear magnetic resonance imaging, 1355
- Nuclear magnetic resonance (NMR) imaging in ischemic heart disease (editorial comment), 150
- Quantitation of acute myocardial infarct size by nuclear magnetic resonance imaging, 143
- Outpatient care**
- Feasibility and cost-saving potential of outpatient cardiac catheterization, 378
- Oxygen consumption**
- Myocardial oxygen consumption during exercise in the presence of left ventricular hypertrophy secondary to supraaortic aortic stenosis, 1157
- Pacemakers**
- Bradycardia and syncope as manifestations of partial epilepsy, 900
- Impact of prospective peer review on pacemaker implantation rates in Massachusetts, 1087
- Role of peer review of pacemaker implantations (editorial comment), 1093
- Pacing**
- Alterations in left ventricular relaxation during atrioventricular pacing in humans, 658
- Current status of sensor-mediated rate-adaptive cardiac pacing, 412
- Effect of pacing current strength on indexes of myocardial activation in humans: influence of chronic infarction and polarity of pacing, 393
- Effect of pacing rate on the human atrial strength-duration curve, 1618
- Hemodynamic sensors for implantable defibrillators (editorial comment), 656
- Right ventricular pressure during ventricular arrhythmias in humans: potential implications for implantable antitachycardia devices, 648
- Papaverine**
- Polymorphous ventricular tachycardia: a side effect of intracoronary papaverine, 275

# **Pediatric cardiology**

*See also* Congenital heart defects; Surgery, pediatric

Amiodarone in children: borrowing from the future? (editorial comment), 1125

Aortic and pulmonary artery stenosis: improvement without intervention? (editorial comment), 1631

Carotid artery approach for balloon dilation of aortic valve stenosis in the neonate: a preliminary report, 1633

Clinical profile of congestive cardiomyopathy in children, 189

Congestive cardiomyopathy in children (editorial comment), 194

Coronary artery diameters in the heart with complete transposition of the great arteries, 1433

Doppler echocardiographic measurement of pulmonary artery pressure from ductal Doppler velocities in the newborn, 446

Ductus arteriosus: a window for assessment of pulmonary artery pressures? (editorial comment), 457

Early results and follow-up of balloon angioplasty for branch pulmonary artery stenoses, 1109

Echocardiographic analysis of regional left ventricular wall motion in normal children and neonates, 1409

Echocardiographic evaluation in the spectrum of cardiac anomalies associated with trisomy 13 and trisomy 18, 673

Echocardiographic spectrum of double inlet ventricle: evaluation of the interventricular communication, 1401

Long-term follow-up of amiodarone therapy in the young: continued efficacy, unimpaired growth, moderate side effects, 1118

Natural history of supraventricular aortic stenosis and pulmonary artery stenosis, 1625

Safety and utility of endomyocardial biopsy in infants, children and adolescents (editorial comment), 443

Safety and utility of endomyocardial biopsy in infants, children and adolescents: a review of 66 procedures in 53 patients, 436

Ultrasonographic display of complex vascular rings, 1645

# **Peripheral vascular disease**

Percutaneous peripheral atherectomy: angiographic and clinical follow-up of 60 patients, 682

Percutaneous peripheral atherectomy: what are its indications? (editorial comment), 689

Transluminal atherectomy for occlusive peripheral vascular disease, 1551

# **Phenytoin**

Bradycardia and syncope as manifestations of partial epilepsy, 900

# **Photocoagulation**

Termination of ventricular tachycardia with epicardial laser photocoagulation: a clinical comparison with patients undergoing successful endocardial photocoagulation alone, 163

# **Photodynamic therapy**

Responses of cultured smooth muscle cells from human nonatherosclerotic arteries and

primary stenosing after photoradiation: implications for photodynamic therapy of vascular stenoses, 1545

# **Plasmin inhibitors**

Plasmin inhibitors in the prevention of systemic effects during thrombolytic therapy: specific role of the plasminogen binding form of  $\alpha_2$ -antiplasmin, 1212

# **Plasminogen activator**

Improved infarct-related arterial patency after high dose, weight-adjusted, rapid infusion of tissue-type plasminogen activator in myocardial infarction: results of a multicenter randomized trial of two dosage regimens, 915

Plasmin inhibitors in the prevention of systemic effects during thrombolytic therapy: specific role of the plasminogen-binding form of  $\alpha_2$ -antiplasmin, 1212

# **Platelets**

Failure of nitroglycerin and diltiazem to reduce platelet-mediated vasoconstriction in dogs with coronary artery stenosis and endothelial injury: further evidence for thromboxane  $A_2$  and serotonin as mediators of coronary artery vasoconstriction in vivo, 718

Occlusion after coronary revascularization (editorial comment), 1259

Platelet activation in unstable angina: role of thromboxane  $A_2$  and other mediators of vasoconstriction (editorial comment), 727

# **Preventive cardiology**

Contribution of the Framingham Study to preventive cardiology (lecture), 206

# **Propafenone**

Therapy of refractory symptomatic atrial fibrillation and atrial flutter: a staged care approach with new antiarrhythmic drugs, 698

# **Prostacyclin**

Effect of short-term prostacyclin administration on restenosis after percutaneous transluminal coronary angioplasty, 691

# **Pulmonary artery pressure**

Doppler echocardiographic measurement of pulmonary artery pressure from ductal Doppler velocities in the newborn, 446

Ductus arteriosus: a window for assessment of pulmonary artery pressures? (editorial comment), 457

Maximal stress test: does it have any value in heart failure? (editorial comment), 62

Pulmonary artery pressure changes during exercise and daily activities in chronic heart failure, 52

# **Q wave**

Acute myocardial infarction: does the lack of a Q wave help or hinder? (editorial comment), 1208

Prognostic significance of first myocardial infarction type (Q wave versus non-Q wave) and Q wave location, 1201

# **Quinidine**

Barium-induced nondriven action potentials as a model of triggered potentials from early afterdepolarizations: significance of slow channel activity and differing effects of quinidine and amiodarone, 213

Low dose quinidine-mexiletine combination

therapy versus quinidine monotherapy for treatment of ventricular arrhythmias, 1138

# **Radiation exposure**

Effect of pulsed progressive fluoroscopy on reduction of radiation dose in the cardiac catheterization laboratory, 159

# **Recanalization**

In vivo ultrasound arterial recanalization of atherosclerotic total occlusions, 345

# **Refractory period**

Time dependence of ventricular refractory periods: implications for electrophysiologic protocols, 402

# **Rehabilitation**

*See* Exercise training

# **Restenosis**

Effect of short-term prostacyclin administration on restenosis after percutaneous transluminal coronary angioplasty, 691

Predicting late restenosis after coronary angioplasty by very early (12 to 24 h) thallium-201 scintigraphy: implications with regard to mechanisms of late coronary restenosis, 1486

Restenosis after coronary angioplasty: new standards for clinical studies (editorial review), 491

Use of a perforated balloon catheter to deliver concentrated heparin into the wall of the normal canine artery, 475

Very early prediction of restenosis after successful coronary angioplasty: anatomic and functional assessment, 259

Very early prediction of restenosis after successful coronary angioplasty: how early is early and can we identify it? (editorial comment), 265

# **Revascularization**

Occlusion after coronary revascularization (editorial comment), 1259

Surgical approaches to treatment of ventricular arrhythmias (editorial comment), 274

Surgical coronary revascularization in survivors of prehospital cardiac arrest: its effect on inducible ventricular arrhythmias and long-term survival, 267

# **Risk factors**

Contribution of the Framingham Study to preventive cardiology (lecture), 206

Differential risk patterns associated with 3 month as compared to 12 month mortality and reinfarction after non-Q wave myocardial infarction, 940

Interactive effects of age and other risk factors on long-term survival after coronary artery surgery, 1493

# **Scintigraphy**

*See* Dipyridamole

# **Seminars**

ACC anniversary seminar: Clinical judgment and therapeutic decision making, 1

ACC anniversary seminar: Decision analysis in clinical cardiology: when is coronary angiography required in aortic stenosis?, 751

Seminar on small coronary artery disease: structure and function of small coronary arteries in health and disease—I, 511

Seminar on small coronary artery disease:

- structure and function of small coronary arteries in health and disease—II, 763
- Serotonin**  
Failure of nitroglycerin and diltiazem to reduce platelet-mediated vasoconstriction in dogs with coronary artery stenosis and endothelial injury: further evidence for thromboxane  $A_2$  and serotonin as mediators of coronary artery vasoconstriction in vivo, 718
- Silent defects**  
Exertional myocardial ischemia in diabetes: a quantitative analysis of anginal perceptual threshold and the influence of autonomic function, 72  
Long-term follow-up of patients with silent ischemia during exercise radionuclide angiography, 999  
Silent myocardial ischemia: its impact on prognosis (editorial comment), 1004
- Sinus rhythm**  
Atrial fibrillation in hypertrophic cardiomyopathy: a longitudinal study, 1279
- Smooth muscle cells**  
Responses of cultured smooth muscle cells from human nonatherosclerotic arteries and primary stenosing lesions after photoradiation: implications for photodynamic therapy of vascular stenoses, 1545  
Syndromes of accelerated atherosclerosis: role of vascular injury and smooth muscle cell proliferation, 1667
- Sotalol**  
Therapy of refractory symptomatic atrial fibrillation and atrial flutter: a staged care approach with new antiarrhythmic drugs, 698
- SQ 30,741**  
Thromboxane receptor antagonist SQ 30,741 reduces myocardial infarct size in monkeys when given during reperfusion at a threshold dose for improving reflow during thrombolysis, 883
- Stenosis**  
*See also Restenosis*  
Aortic and pulmonary artery stenosis: improvement without intervention?, 1631  
Coronary flow reserve as a physiologic measure of stenosis severity, 459  
Early results and follow-up of balloon angioplasty for branch pulmonary stenoses, 1109  
Endothelium-dependent vasodilating effect of substance P during flow-reducing coronary stenosis in the dog, 1374  
Exercise echocardiography and quantitative angiography: improved identification of physiologically significant coronary artery stenoses (editorial comment), 1052  
Further reconciliation between pathoanatomy and pathophysiology of stenotic cardiac valves (editorial comment), 1181  
Generalized formulation of the Gorlin formula for calculating the area of the stenotic mitral valve and other stenotic cardiac valves, 246  
Natural history of supraaortic stenosis and pulmonary artery stenosis, 1625  
Primary peripheral arterial stenoses and restenoses excised by transluminal atherectomy: a histopathologic study, 419  
Relation of quantitative lesion measurements to the development of exercise-induced ischemia assessed by exercise echocardiography, 1043  
Relative insensitivity of densitometric stenosis measurement to lumen edge determination, 1570  
Responses of cultured smooth muscle cells from human nonatherosclerotic arteries and primary stenosing lesions after photoradiation: implications for photodynamic therapy of vascular stenoses, 1545
- Streptokinase**  
Does antiplatelet therapy enhance myocardial salvage after coronary reperfusion?, 1662  
Plasmin inhibitors in the prevention of systemic effects during thrombolytic therapy: specific role of the plasminogen-binding form of  $\alpha_2$ -antiplasmin, 1212
- Stress testing**  
*See Exercise testing*
- Substance P**  
Endothelium-dependent vasodilating effect of substance P during flow-reducing coronary stenosis in the dog, 1374
- Sudden death**  
*See also Cardiac arrest*  
Relation between extent of left ventricular hypertrophy and occurrence of sudden cardiac death in hypertrophic cardiomyopathy, 1521  
Sudden death due to isolated acute infarction of the His bundle, 1183  
Syncope and sudden death in hypertrophic cardiomyopathy (editorial comment), 962
- Sulfinpyrazone**  
Implications of preoperative administration of aspirin in patients undergoing coronary artery bypass grafting, 15
- Sulotroban**  
Does antiplatelet therapy enhance myocardial salvage after coronary reperfusion?, 1662
- Surgery, coronary artery bypass**  
Accurate, nontraumatic ultrasonic method to monitor myocardial wall thickening in patients undergoing cardiac surgery, 1055  
Acute myocardial dysfunction and recovery: a common occurrence after coronary bypass surgery, 1261  
Implications of preoperative administration of aspirin in patients undergoing coronary artery bypass grafting, 15  
Interactive effects of age and other risk factors on long-term survival after coronary artery surgery, 1493  
Myocardial salvage after failed coronary angioplasty, 78  
Perioperative evaluation of myocardial function (editorial comment), 1066  
Risk of preoperative aspirin in patients undergoing coronary artery bypass surgery (editorial comment), 21
- Surgery, pediatric**  
*See also Pediatric cardiology*  
Assessment of the intrapulmonary ventilation-perfusion distribution after the Fontan procedure for complex cardiac anomalies: relation to pulmonary hemodynamics, 842
- Coronary artery diameters in the heart with complete transposition of the great arteries, 1433  
Echocardiographic analysis of regional left ventricular wall motion in children after the arterial switch operation for complete transposition of the great arteries, 1417  
Exercise responses in patients with congenital heart disease after Fontan repair: patterns and determinants of performance, 1424  
Modified Fontan operation for children less than 4 years old, 429  
Prospective detection by Doppler color flow imaging of additional defects in infants with a large ventricular septal defect, 1637
- Surgery, valve**  
Utility of transesophageal echocardiography and Doppler color flow imaging in patients undergoing cardiac valve surgery, 363
- Sympathetic nervous system**  
Pathophysiologic levels of atrial natriuretic factor do not alter reflex sympathetic control: direct evidence from microneurographic studies in humans, 1318
- Syncope**  
Bradycardia and syncope as manifestations of partial epilepsy, 900  
Syncope and sudden death in hypertrophic cardiomyopathy (editorial comment), 962  
Syncope in hypertrophic cardiomyopathy: multivariate analysis of prognostic determinants, 948
- Systolic function**  
Alterations in left ventricular relaxation during atrioventricular pacing in humans, 658  
Differential enhancement of postischemic segmental systolic thickening by diltiazem, 737  
Effect of inotropic and vasodilator therapy on left ventricular diastolic filling in dogs with severe left ventricular dysfunction, 1165  
Influence of alterations in loading produced by lower body negative pressure on aortic blood flow acceleration, 1069
- T wave**  
Clinical significance of giant negative T waves in hypertrophic cardiomyopathy, 965  
Giant negative T wave revisited . . . in hypertrophic cardiomyopathy (editorial comment), 972
- Tachycardia**  
*See also Atrial tachycardia; Ventricular tachycardia*  
Atrioventricular block in the atypical form of junctional reciprocating tachycardia: evidence supporting the atrioventricular node as the site of reentry, 385
- Technetium-99m**  
Single photon emission computed tomography with technetium-99m hexakis 2-methoxyisobutyl isonitrile in acute myocardial infarction before and after thrombolytic treatment: assessment of salvaged myocardium and prediction of late functional recovery, 301  
Technetium-99m isonitrile tomography in patients with acute myocardial infarction: measurement of myocardial salvage by thrombolysis (editorial comment), 315

# Thallium-201

See also Dipyridamole

Exercise thallium-201 single photon emission computed tomography for the diagnosis of coronary artery disease: what should we expect from SPECT? (editorial comment), 330

Frequency of late reversibility in SPECT thallium-201 stress-redistribution studies, 334

Late reversibility: a viability issue (editorial comment), 341

Predicting late restenosis after coronary angioplasty by very early (12 to 24 h) thallium-201 scintigraphy: implications with regard to mechanisms of late coronary restenosis, 1486

Quantitative exercise thallium-201 single photon emission computed tomography for the enhanced diagnosis of ischemic heart disease, 318

Relations among impaired coronary flow reserve, left ventricular hypertrophy and thallium perfusion defects in hypertensive patients without obstructive coronary artery disease, 43

# Thrombi

Natural history of left ventricular thrombi: their appearance and resolution in the posthospitalization period of acute myocardial infarction, 790

Prediction of apical thrombus formation in acute myocardial infarction based on left ventricular spatial flow pattern, 355

Predictors of left ventricular thrombus formation: flow, asynergy and morphology (editorial comment), 361

# Thrombolytic therapy

See also Fibrinolytic therapy; specific agent  
At home thrombolysis (editorial comment), 937

Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography, 1021

Myocardial infarction triage and intervention project—phase I: patient characteristics and feasibility of prehospital initiation of thrombolytic therapy, 925

Should thrombolytic therapy be administered in the mobile intensive care unit in patients with evolving myocardial infarction? A pilot study, 932

Signal-averaged electrocardiogram and ventricular arrhythmias after thrombolysis for acute myocardial infarction, 1270

Silent left ventricular dysfunction during routine activity after thrombolytic therapy for acute myocardial infarction, 1500

Single photon emission computed tomography with technetium-99m hexakis 2-methoxyisobutyl isonitrile in acute myocardial infarction before and after thrombolytic treatment: assessment of salvaged myocardium and prediction of late functional recovery, 301

Technetium-99m isonitrile tomography in patients with acute myocardial infarction: measurement of myocardial salvage by

thrombolysis (editorial comment), 315

Thrombolysis in Myocardial Infarction (TIMI) Trial phase II: additional information (editorial comment), 1188

Thrombolytic therapy, infarct vessel patency and late potentials: can the arrhythmic substrate be altered? (editorial comment), 1277

Thromboxane receptor antagonist SQ 30,741 reduces myocardial infarct size in monkeys when given during reperfusion at a threshold dose for improving reflow during thrombolysis, 883

Ultrathrombolysis (editorial comment), 922  
Thromboxane A<sub>2</sub>

Failure of nitroglycerin and diltiazem to reduce platelet-mediated vasoconstriction in dogs with coronary artery stenosis and endothelial injury: further evidence for thromboxane A<sub>2</sub> and serotonin as mediators of coronary artery vasoconstriction in vivo, 718

Platelet activation in unstable angina: role of thromboxane A<sub>2</sub> and other mediators of vasoconstriction (editorial comment), 727

# Tissue structure

Evolving concepts regarding the role of tissue structure in arrhythmogenesis in the infarcted human heart (editorial comment), 1608

# Tomography

See also Technetium-99m; Thallium-201  
Augmented myocardial perfusion reserve after coronary angioplasty quantified by positron emission tomography with H<sub>2</sub><sup>15</sup>O, 119

Identification of viable myocardium by echocardiography during dobutamine infusion in patients with myocardial infarction after thrombolytic therapy: comparison with positron emission tomography, 1021

Noninvasive quantification of regional blood flow in the human heart using N-13 ammonia and dynamic positron emission tomographic imaging, 1032

Positron emission tomography and the quantitative assessment of regional myocardial blood flow (editorial comment), 128

Quantification of coronary artery calcium using ultrafast computed tomography, 827

Single photon emission computed tomography with technetium-99m hexakis 2-methoxyisobutyl isonitrile in acute myocardial infarction before and after thrombolytic treatment: assessment of salvaged myocardium and prediction of late functional recovery, 301

# Torsade de pointes

Barium-induced nondriven action potentials as a model of triggered potentials from early afterdepolarizations: significance of slow channel activity and differing effects of quinidine and amiodarone, 213

# Transposition of the great arteries

Coronary artery diameters in the heart with complete transposition of the great vessels, 1433

Echocardiographic analysis of regional left ventricular wall motion in children after the

arterial switch operation for complete transposition of the great arteries, 1417

# Tricuspid valve disease

Different effects of prolonged exercise on the right and left ventricles, 64

# U wave

Natural history of adults with asymptomatic, hemodynamically significant aortic stenosis, 1007

# Ultrasound

See also Echocardiography

Balloon angioplasty of coarctation of the aorta evaluated with intravascular ultrasound imaging, 906

Catheter-based intravascular ultrasound discriminates bicuspid from tricuspid valves in adults with calcific aortic stenosis, 1310

Experimental ultrasonic angioplasty: disruption of atherosclerotic plaque and thrombi in vitro and arterial recanalization in vivo, 711

In vivo ultrasound arterial recanalization of atherosclerotic total occlusions, 345

Interventional ultrasound: incongruity in terms or a reality? (editorial comment), 352

Trans thoracic two-dimensional high frequency (7.5 MHz) ultrasonic visualization of the distal left anterior descending coronary artery, 373

# Urokinase

Transluminal atherectomy for occlusive peripheral vascular disease, 1551

# Valve disease

See also Aortic valve disease; Mitral valve disease; Tricuspid valve disease

Subcostal two-dimensional echocardiographic identification of anomalous attachments of septum primum in patients with left atrioventricular underdevelopment, 678

Valvular regurgitation in heart-lung transplantation recipients: a Doppler color flow study, 576

# Valve geometry

Further reconciliation between pathoanatomy and pathophysiology of stenotic cardiac valves (editorial comment), 1181

Influence of orifice geometry and flow rate on effective valve area: an in vitro study, 1173

# Valve prosthesis

Determination of aortic valve area by two-dimensional and Doppler echocardiography in patients with normal and stenotic bioprosthetic valves, 817

Doppler echocardiographic evaluation of stenotic bioprosthetic aortic valves (editorial comment), 825

Left atrial dimension and risk of systemic embolism in patients with a prosthetic heart valve, 32

Long-term effects of excision of the mitral apparatus on global and regional ventricular function in humans, 557

Long-term survival rates after heart valve replacement, 566

Presentation of left ventricular function in patients with mitral regurgitation: a realistic goal for the nineties (editorial comment), 564

Statistical treatment of valve surgery outcomes: an influence on the evaluation of

- devices as well as practice (editorial comment), 574
- Valvuloplasty**  
 Atrial septal defect after percutaneous mitral balloon valvuloplasty: immediate results and follow-up, 1300  
 Carotid artery approach for balloon dilation of aortic valve stenosis in the neonate: a preliminary report, 1633  
 M-Heart Percutaneous Balloon Mitral Valvuloplasty Registry: initial results and early follow-up, 1221
- Vascular injury**  
 Syndromes of accelerated atherosclerosis: role of vascular injury and smooth muscle cell proliferation, 1667
- Vascular rings**  
 Ultrasonographic display of complex vascular rings, 1645
- Vascular tone**  
 Endothelial control of vascular tone in large and small coronary arteries (seminar), 519
- Vasoconstriction**  
 Failure of nitroglycerin and diltiazem to reduce platelet-mediated vasoconstriction in dogs with coronary artery stenosis and endothelial injury: further evidence for thromboxane  $A_2$  and serotonin as mediators of coronary artery vasoconstriction in vivo, 718  
 Platelet activation in unstable angina: role of thromboxane  $A_2$  and other mediators of vasoconstriction (editorial comment), 727
- Vasodilation**  
 Afterload reduction with vasodilators and diuretics decreases mitral regurgitation during upright exercise in advanced heart failure, 174
- Ventilation-perfusion**  
 Assessment of the intrapulmonary ventilation-perfusion distribution after the Fontan procedure for complex cardiac anomalies: relation to pulmonary hemodynamics, 842
- Ventricle, double inlet**  
 Echocardiographic spectrum of double inlet ventricle: evaluation of the interventricular communication, 1401
- Ventricular arrhythmias**  
 See Arrhythmias, ventricular
- Ventricular fibrillation**  
 Effect of the right ventricular isolation procedure on ventricular vulnerability to fibrillation, 730
- Ventricular filling**  
 Left ventricular filling in dilated cardiomyopathy: relation to functional class and hemodynamics, 1288  
 Relations between posterior wall kinetics during diastole and left ventricular filling, 1587  
 Restrictive ventricular physiology as demonstrated by Doppler echocardiography (letter), 508
- Ventricular function**  
 Acute myocardial dysfunction and recovery: a common occurrence after coronary bypass surgery, 1261  
 Alterations in left ventricular relaxation during atrioventricular pacing in humans, 658  
 Clinical assessment of ventricular ejection dynamics with and without outflow obstruction, 859  
 Different effects of prolonged exercise on the right and left ventricles, 64  
 Exercise responses in patients with congenital heart disease after Fontan repair: patterns and determinants of performance, 1424  
 Extreme exertion and right ventricular function (editorial comment), 70  
 Left ventricular dimensions and function in athletes: cardiac or cardiovascular adaptations, or both? (editorial comment), 589  
 Long-term effects of excision of the mitral apparatus on global and regional ventricular function in humans, 557  
 Preservation of left ventricular function in patients with mitral regurgitation: a realistic goal for the nineties (editorial comment), 564  
 Silent left ventricular dysfunction during routine activity after thrombolytic therapy for acute myocardial infarction, 1500
- Ventricular infarction**  
 Atrial natriuretic factor: a new diagnostic marker for right ventricular infarction? (editorial comment), 554  
 Atrial natriuretic factor in patients with right ventricular infarction, 546
- Ventricular isolation**  
 Effect of the right ventricular isolation procedure on ventricular vulnerability to fibrillation, 730
- Ventricular mass**  
 Effect of the right ventricular isolation procedure on ventricular vulnerability to fibrillation, 730
- Ventricular pulse pressure**  
 Right ventricular pressure during ventricular arrhythmias in humans: potential implications for implantable antitachycardia devices, 648
- Ventricular relaxation**  
 Impaired left ventricular relaxation in hypertrophic cardiomyopathy: relation to extent of hypertrophy (editorial comment), 814
- Ventricular septal defect**  
 Color Doppler echocardiography, Fred Astaire and the magic of Hollywood, (editorial comment), 1643  
 Doppler color flow mapping in the diagnosis of ventricular septal rupture and acute mitral regurgitation after myocardial infarction, 1449  
 Prospective detection by Doppler color flow imaging of additional defects in infants with a large ventricular septal defect, 1637
- Ventricular tachycardia**  
 Activation mapping in ventricular tachycardia: role of the epicardium (editorial comment), 171  
 Polymorphous ventricular tachycardia: a side effect of intracoronary papaverine, 275  
 Right ventricular pressure during ventricular arrhythmias in humans: potential implications for implantable antitachycardia devices, 648  
 Termination of ventricular tachycardia with epicardial laser photocoagulation: a clinical comparison with patients undergoing successful endocardial photocoagulation alone, 163  
 Ventricular tachycardia in the infarcted, Langendorff-perfused human heart: role of the arrangement of surviving cardiac fibers, 1594
- Ventricular volume**  
 Altered left ventricular volume and ejection fraction responses to supine dynamic exercise in athletes, 582  
 Left ventricular dimensions and function in athletes: cardiac or cardiovascular adaptations, or both? (editorial comment), 589
- Ventricular wall motion**  
 Altered left ventricular volume and ejection fraction responses to supine dynamic exercise in athletes, 582  
 Echocardiographic analysis of regional left ventricular wall motion in children after the arterial switch operation for complete transposition of the great arteries, 1417  
 Echocardiographic analysis of regional left ventricular wall motion in normal children and neonates, 1409  
 Improvement in rest and exercise-induced wall motion abnormalities after coronary angioplasty: an exercise echocardiographic study, 591  
 Relation of quantitative coronary lesion measurements to the development of exercise-induced ischemia assessed by exercise echocardiography, 1043  
 Relations between posterior wall kinetics during diastole and left ventricular filling, 1587
- Verapamil**  
 Regression of atherosclerosis in cholesterol-fed rabbits: effects of fish oil and verapamil, 231  
 Sustained intraatrial reentrant tachycardia: clinical, electrocardiographic and electrophysiologic characteristics and long-term follow-up, 1345  
 Very early prediction of restenosis after successful coronary angioplasty: anatomic and functional assessment, 259
- Wolff-Parkinson-White syndrome**  
 Mode of onset of atrial fibrillation in the Wolff-Parkinson-White syndrome: how important is the accessory pathway?, 1082  
 Predictive value of electrophysiologic studies in untreated patients with Wolff-Parkinson-White syndrome, 640